Mechanical Ventilation

Educational Reinforcement Material

Table of Contents

Pre-Test Questions	Page 3
Manual (blanks),	Page 11
Reinforcement Game	Page 17
Post- Test Questions	Page 18
Pre-Test Questions with answers	Page 25
Post- Test Questions with answers	Page 33

Pre-Test Questions

- 1. Which of the following is not the main goal of mechanical ventilation in the ICU?
 - a. Optimize patient comfort
 - b. Optimize exchange of carbon dioxide and oxygen
 - c. Get them through surgery with less discomfort
 - d. Decrease work of breathing
- 2. What are ways to maximize patient comfort on the ventilator?
 - a. Optimize ventilation settings
 - b. Sedation
 - c. Paralytics
 - d. All of the above
- 3. What is the optimal type of breath?
 - a. Spontaneous
 - b. Controlled
 - c. Assisted
 - d. None of the above
- 4. Will all patients have perfect carbon dioxide and oxygen levels?
 - a. Yes
 - b. No
- 5. What should the carbon dioxide goal be with traumatic brain injury?
 - a. High to allow increased cerebral blood flow
 - b. High to prevent increased cerebral blood flow
 - c. Normal to prevent increased cerebral blood flow
 - d. Normal to allow increased cerebral blood flow
- 6. Which of the following is not a toxicity with mechanical intubation?
 - a. Hypercarbia
 - b. Barotrauma
 - c. Volutrauma
 - d. Atelactotrauma
 - e. Oxygen toxicity
- 7. What percent of oxygen can lead to oxygen toxicity (even if only a short period of time)?
 - a. >50 %
 - b. >60%
 - c. >70%
 - d. >80%
- 8. What is the volume of gas in the lungs at the end of expiration, but prior to inhalation?
 - a. Inspiratory Capacity
 - b. Expiratory Capacity
 - c. Vital Capacity
 - d. Tidal Volume
 - e. Functional Residual Capacity
- 9. Is inhalation an active or passive process?
 - a. Active
 - b. Passive
- 10. What happens to the intrathoracic pressure/ volume when you inhale?
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 11. Is exhalation an active or passive process?
 - a. Active
 - b. Passive
- 12. What happens to the intrathoracic pressure/volume when you exhale?
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume

- b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
- c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
- d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 13. When does exhalation become an active process?
 - a. With restrictive lung disease
 - b. After you run a mile
 - c. With obstructive lung disease
- 14. Mechanical ventilation works by
 - a. Positive pressure- pushing air into the lungs
 - b. Negative pressure- pulling out the chest wall
- 15. Which of the following is not a way to improve oxygenation?
 - a. FiO₂
 - b. PEEP
 - c. Inspiratory time
 - d. Respiratory rate
- 16. What is mean airway pressure?
 - a. Average pressure that alveoli are exposed to during inspiration
 - b. Average pressure that the lungs are exposed to during expiration
 - c. Average pressure the lung is exposed to during mechanical ventilation
- 17. What is the normal I:E ratio?
 - a. Inspiration is longer than expiration
 - b. Expiration is longer than inspiration
 - c. Inspiration and expiration are equal
- 18. How does increasing the inspiratory time lead to improved oxygenation?
 - a. It increases mean airway pressure
 - b. It decreases expiration time
 - c. It improves PEEP
 - d. It increases the tidal volume
- 19. What is removal of carbon dioxide from the body called?
 - a. Hypercarbia
 - b. Hypocarbia
 - c. Ventilation
 - d. Tidal Volume
- 20. What is the equation for minute ventilation?
 - a. Respiratory Rate X PEEP
 - b. Respiratory Rate X Tidal Volume
 - c. Tidal Volume X Expiratory Time
 - d. Expiratory Time X Respiratory Rate
- 21. What is dead space ventilation?
 - a. Carbon dioxide in the unventilated alveoli
 - b. Carbon dioxide delivered to the patient if the patient isn't on 100% oxygen
 - c. Carbon dioxide that is unable to diffuse out of the capillaries
 - d. Carbon dioxide still in the airway at expiration
- 22. How does increasing the tidal volume allow more CO2 removal?
 - a. Allows more surface area for the transfer of CO2
 - b. Increases the mean airway pressure
 - c. Allows the alveoli to remain open longer for gas exchange
 - d. Improves compliance
- 23. Since tidal volume is limited, what else can we adjust to improve minute ventilation?
 - a. Inspiratory time
 - b. FiO₂
 - c. Respiratory Rate
 - d. Expiratory time
- 24. Why do patients with obstructive lung disease need a shorter respiratory rate?
 - a. Gives the patients time to rest

- b. Shorter respiratory rate allows a longer expiratory time as they have trouble with air removal
- c. Shorter respiratory rate allows for less positive end expiratory pressure
- d. Shorter respiratory rate allows for longer inspiratory time to improve oxygenation
- 25. What is the injury to the alveoli caused by excessive pressure from the ventilator called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 26. What is the injury from over distension of the alveoli from excessive tidal volume called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 27. What is the injury from repetitively opening and closing lung units (a type of sheering stress to the lung) called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 28. What is the lung injury resulting from inflammatory mediators called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 29. What is the lung injury due to oxygen production of free radicals called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 30. What happens with inadequate PEEP?
 - a. Alveoli collapse and develop atelectasis
 - b. Poor compliance
 - c. Inadequate minute ventilation
 - d. Higher oxygen requirements leading to oxygen toxicity
- 31. What happens with adequate PEEP?
 - a. Better driving pressure
 - b. Less pressure is needed to re-expand the alveoli at the end of expiration
 - c. Improved minute ventilation
 - d. Lower oxygen requirements thus decreasing risk of barotrauma
- 32. What is the difference between the plateau pressure (PPlat) and the positive end expiratory pressure (PEEP)?
 - a. Driving pressure
 - b. Static pressure
 - c. Dynamic Pressure
 - d. Compliance
- 33. What happens to blood return with spontaneous breathing?
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return

- c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
- d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 34. What happens to blood return to the right atrium with positive pressure ventilation?
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 35. How can you help improve venous return in a patient on positive pressure ventilation?
 - a. If the patient has decreased intravascular volume, a fluid bolus will help
 - b. Higher levels of positive end expiratory pressure (PEEP)
 - c. Increase the volume/pressure breath (depends on the mode)
 - d. Trial of bronchodilators to decrease afterload
- 36. What happens to the right ventricle with positive pressure ventilation?
 - a. Decreased right ventricular afterload
 - b. Increased right ventricular preload
 - c. No significant changes to the right ventricle
 - d. Increased right ventricular afterload
- 37. What happens if you intubate a patient with RV failure?
 - a. Nothing with rapid sequence intubation technique
 - b. Improved pre-load to the RV
 - c. RV collapse and cardiac arrest
 - d. Increased ejection fraction of the right ventricle
- 38. What happens to the left ventricle with positive pressure ventilation?
 - a. Increased stroke volume and increased cardiac output
 - b. Decreased stroke volume and decreased cardiac output
 - c. Increased heart rate and increased cardiac output
 - d. Decreased heart rate and decreased cardiac output
- 39. Is positive pressure good or bad with heart failure? Why?
 - a. Bad; increases afterload and deceases cardiac output
 - b. Good; decreases preload and increases cardiac output
 - c. Bad; decreases preload and decreases cardiac output
 - d. Good; decreases the LV afterload and allows more cardiac output
 - e. Depends on the type an etiology of heart failure

- 40. Which of the following is not a type of breath that can be delivered by a ventilator?
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Spontaneous
- 41. What are the two types of breath delivery?
 - a. FiO₂, PEEP
 - b. Volume, pressure
 - c. Flow, volume
 - d. Respiratory rate and tidal volume
- 42. What type of breath requires no work by the patient, as the frequency/rate of the breath and the amount of gas delivered is fully dependent on the ventilator?
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 43. Describe the type of breath when the patient starts the process (aka triggers a breath), but the ventilator takes over.
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 44. With what type of breath does the patient do most/all of the work, and the ventilator gives only minimal assistance, if needed?
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 45. What is controlled mandatory ventilation (CMV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 46. What is pressure support?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 47. What is assist controlled ventilation (ACV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 48. What is synchronized intermittent mandatory ventilation (SIMV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 49. In which mode of ventilation is a pre-set amount of gas delivered to the patient?
 - a. Volume breath

- b. Pressure Breath
- c. Both
- d. Neither
- 50. When giving a volume breath, at what pressure will the gas be delivered?
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 51. When giving a volume breath, what is the relationship between compliance and pressure?
 - a. Higher the pressure, higher the compliance needed
 - b. Lower the compliance, higher the pressure needed
 - c. Lower the pressure, lower the compliance needed
 - d. Higher the compliance, higher the pressure needed
- 52. In which mode of ventilation will a pre-set pressure deliver gas to the patient?
 - a. Volume breath
 - b. Pressure Breath
 - c. Both
 - d. Neither
- 53. When giving a pressure breath, how much volume of gas will be delivered to a patient?
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 54. When giving a pressure breath, what is the relationship between compliance and volume?
 - a. Lower compliance, the less volume delivered
 - b. Lower compliance, the more volume delivered
 - c. Higher volume, the higher the compliance needed
 - d. Lower volume, the higher the compliance needed
- 55. Which is a dynamic pressure needed to fully inflate the lungs and overcome the resistive forces and elastic forces of the lungs?
 - a. Peak Inspiratory Pressure (PIP)
 - b. Positive end expiratory pressure (PEEP)
 - c. Plateau pressure (PPlat)
 - d. End Expiratory Pressure
- 56. What is the normal peak inspiratory pressure (PIP)?
 - a. Variable depending on body habitus
 - b. >20 cm of water pressure
 - c. <10 cm of water pressure
 - d. <20 cm of water pressure
- 57. What is a static pressure that the alveoli see?
 - a. Positive end expiratory pressure (PEEP)
 - b. Driving pressure
 - c. Plateau pressure (PPlat)
 - d. Peak Inspiratory Pressure (PIP)
- 58. What is meant by a static pressure vs dynamic pressure?
 - a. Dynamic is seen during an inspiratory hold, whereas static is the same as the Peak inspiratory pressure (PIP)
 - b. Static has no air movement, dynamic pressure has air movement
 - c. Same thing: static pressure is used with volume mode and dynamic pressure with pressure mode
 - Same thing: static pressure is used with pressure mode and dynamic pressure with volume mode
- 59. How do you check the plateau pressure (PPlat), on a volume mode?
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)

- d. Ask the respiratory therapist
- 60. How do you check the plateau pressure (PPlat), on a pressure mode?
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)
 - d. Ask the respiratory therapist
- 61. What does it mean when there is increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)?
 - a. High resistance in the circuit or patient
 - b. Poor pulmonary perfusion
 - c. Need to change the ventilator mode
 - d. Decreased compliance
- 62. Which is not a cause of increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)?
 - a. Pulmonary edema
 - b. Bronchospasms
 - c. Pneumothorax
 - d. Abdominal compartment syndrome
 - e. ARDS
- 63. What does it mean when there is increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)?
 - a. High resistance in the circuit or patient
 - b. Decreased compliance

 - c. Poor pulmonary perfusiond. Need to change the ventilator mode
- 64. Which is not a cause of increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)?
 - a. Endotracheal tube occlusion
 - b. Mucous plugging
 - c. Pulmonary embolismd. Bronchospasms
- 65. Which mode of ventilation allows more control over the minute ventilation?
 - a. Volume breath
 - b. Pressure breath
- 66. What happens as compliance decreases in a volume breath?
 - a. Less oxygen delivery and hypoxia
 - b. Higher peak inspiratory pressures (PIP) leading to barotrauma
 - c. Higher FiO₂ and oxygen toxicity
 - d. Decrease in the minute ventilation leading to decreased PEEP and atelectasis
- 67. What is the normal flow pattern of a volume breath?
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 68. What the flow pattern of a pressure delivered breath?
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 69. How is the peak inspiratory pressure (PIP) and the mean airway pressure of a pressure breath in comparison to a volume breath?
 - a. ↑ peak airway pressure + ↓ mean airway pressure
 - b. ↑ peak airway pressure + ↑ mean airway pressure
 - c. ↓ peak airway pressure + ↑ mean airway pressure
 - d. ↓ peak airway pressure + ↓ mean airway pressure
- 70. What is the main disadvantage of a pressure delivered breath?

- a. Not as well known to clinicians
- b. No control over minute ventilation
- c. Constantly pay attention to pressures to make sure adequate tidal volume
- d. All of the above

	Manual with Planks			
Goals	Manuel with Blanks of Mechanical Ventilation 0055			
	Maximize patient (MV settings, sedation) work of breathing/ allow spontaneous breathing			
	work of breathing and they were either in respiratory failure or on the verge of respiratory failure.			
3.	 Optimal type of breath is spontaneous breath Provide (not perfect) gas exchange (oxygenation and ventilation) 			
× Clearly define oxygen saturation goals				
	× Clearly define CO ₂ goals			
	 Example: A patient with a traumatic brain injury would need a normal CO₂ goal because a high CO₂ would increase cerebral blood flow and thereby increase intracranial pressure. 			
4.	Minimize toxicity			
	× Barotrauma- overdistension			
	× Volutrauma- high volumes			
	× Atelectotrauma- opening and closing alveoli			
	× O ₂ toxicity- >60% (even for short periods of time)			
5.	 Adverse effects on the cardiovascular system This is a supportive therapy to allow time for other interventions to treat the cause of respiratory failure 			
Basic F	Review: Respiratory Physiology 0511			
Inhalat	tion			
	(FRC): Volume of gas in the lungs at end expiration, but prior to			
innaiat	ion; a state of no gas exchange			
Natura lung	I tendency is for the lungs to want to due to the natural elastic forces of the			
Natura	I tendency of the chest wall to want to			
×	Active process by diaphragmatic contraction into the abdomen and the rib cage to move outwards intra-thoracic volume			
×				
×	Pressure gradient between atmosphere and intra-thoracic space			
Exhala	ation			
×	process = Diaphragm relax			
×	Lung recoils			

Active process: _____ physiology (example: COPD and asthma) causes it to become active

intra-thoracic pressure
 Creates a pressure gradient (alveolar pressure exceeds atmospheric pressure) and gas flow

Positive Pressure Ventilation <u>0655</u>

proceeds out of the lungs

×	•	neous breathing occurs via a	pressure circuit (pulled into the
×	lungs) Mechanical ventilation is a complete reversal of normal physiological breathing and occurs via a pressure system (pushed into the lungs)		
×	Air flow		ne (ventilator) pushing or forcing air into the lungs
Oxygei	nation <u>0</u>	<u>748</u>	
Diffusio	n: oxva	en moves down the concentration gradi	ent, down the alveoli and into the capillaries
		_	
1. 2.		– first way to improve oxygen second way to improve oxyg : average	
2	b.	, , ,	ngs stay in expiration twice as long as inspiration
3.		Increases the mean airway pressure - Allows air re-distribution from highly co	ompliant alveoli to less compliant alveoli and inspiration and allowing more time for air to
Ventila	tion= rei	moval of CO ₂ from the body	
Simple	diffusio	n + Convection- CO ₂ builds up in the ca	pillaries
		= Respiratory Rate x Tidal	Volume
1	Resnir	atory Rate	
2.	Tidal V	•	
	×	however, the CO ₂ that remains in the a space ventilation with worsening respi gradient for CO ₂ to diffuse out of the c	•
	×	alveoli, which is removed with exhalat	O ₂ to diffuse out of the capillaries and into the ion; if we breathe in a larger, asses the transfer of CO ₂ or breath faster by
	×	· ————	eliver, goal ml/kg of predicted body
3.	Evniro	If give too much-> volutrauma ton/Time	
3.	⊏xpiiai ×		and Asthma)- want to decrease the respiratory ecause if the expiratory time is too short then the
		of Mechanical Ventilation 1352	
Ventila	tor Asso	ciated Lung Injury (VILI)	
1.	×		sed by excessive pressure from the ventilator at the alveoli see-> this is seen by doing an

2.	×	limit the plateau pressure to <mmhg< td=""></mmhg<>			
۷.	×	: over distension of the alveoli from excessive tidal volume (Vt) Limit the tidal volumes toml/ kg of predicted body weight			
3.		: damage which may occur when repetitively opening and closing lung			
	units (a type of sheering stress to the lung)				
	×	Importance of Optimal PEEP			
	× ×	End Inspiration: well expanded and optimal to provide adequate gas exchange Expiration with inadequate PEEP: the alveoli collapse and develop atelectasis; a lot more pressure will be needed to expand the alveoli from the collapsed state to the volume at			
		end expiratory->			
	×	Expiration with adequate PEEP: less pressure is needed to re-expand the alveoli at end expiration-> have not allowed the alveoli to close and become atelectatic			
	×	difference between the plateau pressure and the PEEP			
4.		: lung injury resulting from inflammation mediators (precipitated by VILI) this			
can be caused by barotrauma, volutrauma, or atelectotrauma 5: lung injury due to O ₂ induced production of free radicals					
	×				
Hemod	lynamic (Consequences <u>1850</u>			
		is determined by a, or high-pressure system leaving the left ventricle the heart via a low-pressure system via the right atrium			
thorax	and	reathing is a negative pressure, which causes a pressure system in the resistance of blood flow to return to the right atrium and assist in ate venous return and pre-load			
		re ventilation leads to intrathoracic pressure leads to right and impede venous return			
decrea	crease ir se in car prove pre	n venous return is amplified when a patient has This can lead to diac output and = need a fluid bolus to restore intravascular volume eload.			
×	Right A	trium- Positive pressure is delivered-> increased positive intrathoracic pressure and this pressure is transmitted to the right atrium -> increase in pressure in the right atrium -> of venous return and preload This is less of a problem in patients that are not intravascularly volume depleted			
×	Right V	entricle-			
	•	intrathoracic pressure leads to right ventricular afterload, which is normally well tolerated, except in patients with (e.g. long standing pulmonary hypertension or acutely from a massive PE)=> RV collapse			
	1 - £1 \ /	and failure with possible cardiac arrest			
×	Left Ve				
	•	intrathoracic pressure leads to a pressure gradient between the ventricle and the intrathoracic space will LV afterload			
	Hoort fo	=> stroke volume and cardiac output			
×	пеант	allul 6-			

Modes 0130 **Terminology** Breath Type: 3 types of breaths that can be delivered 1. controlled 2. assisted 3. spontaneous Breath Delivery: How much volume of gas is delivered to the patient Mode: How breath types are combined together; examples: CMV, ACV, IMV, PS Mechanical Ventilator Breaths and Pull-ups 0256 Imagine you have never heard or attempted a pull up for this analogy Breath × No work (You just hang on the bar while the trainer pushes you up the bar a few times) × Ventilator does ; the frequency/ rate of the breaths and the amount of gas delivered is fully dependent on the ventilator • Example: CMV (controlled mandatory ventilation)- ventilator determines the rate and the amount of gas 2. _ Breath × Start Work (You make the effort to start doing the pull-up, but the trainer knows you are not strong enough- they then do everything, one they see your effort) \times Ventilator ______: The patient will trigger a breath, and once that is sensed by the ventilator- the ventilator does all the work. The patient can determine the respiratory rate Example: ACV (Assist control ventilation)- combination of a controlled breath and assisted breath Breath (also called spontaneous breath) × Able to do some or most of the work (You are now much stronger start the pull up. The trainer will only give you some support to complete the pullup. The weaker you are, the more support the trainer has to give you, and the inverse is true- the stronger you are, the less support the trainer has to give you) Ventilator _____ (i.e. pressure support). The patient starts the process of taking a breath, and only gets some support from the ventilator. However, most of the work is done by the patient. • Example: pressure support will assist or augment their efforts Example: SIMV (synchronized intermittent mandatory ventilation)- Ventilator combines a controlled or assisted breath and combine with a spontaneous breath **Breath Delivery 0628** Volume breath: a preset amount of _____ is delivered to the patient × The amount of pressure the ventilator needed to deliver this volume of gas is unknown; this depends on the patient's _____

beneficial by assisting the LV and allowing more cardiac output

×	The lower the compliance, or the stiffer the lung, the pressure it will take to deliver the volume As the compliance increases, or the lung gets more stretchy, the pressure it will take			
_	to deliver the same volume of gas			
<u>Pressu</u>	re breath: a preset will deliver the gas			
×	The amount of volume that will be delivered to the patient is unknown, as this depends on the patient's			
×	The lower the compliance means that volume will be delivered to a patient at a given pressure			
×	To give a larger volume of gas, in a patient with low compliance, a preset pressure would need to be given			
×	As the compliance increases, or the lung gets more stretchy, the volume will be delivered with the same amount of pressure			
Compli	ance= change in / change in			
×	If you are on a volume mode, pay close attention to the pressure o ↑ = ↓ compliance o ↓ = ↑ compliance			
×	If you are on a pressure mode, pay close attention to the volume ○ ↑ = ↑ compliance ○ ↓ = ↓ compliance			
Peak ir	nspiratory pressure (PIP)			
×	Normally should be in the teens, < cm of water pressure needed to fully inflate the lung and overcome the resistive and elastic forces of the lungs			
Plateau	u Pressure (PPlat):			
× × ×	pressure that (pause) since there is no air movement PIP > cm of water pressure, need to check the plateau pressure			
Elevate	ed PIP and elevated PPlat= indicate compliance			
	self= pulmonary edema, pneumonia, ARDS, or pulmonary contusion			
Chest v	wall/ thorax= pneumothorax, pleural effusion, large circumferential burns w. eschar formations			
Abdom	en= massive ascites or abdominal compartment syndrome			
Elevate	ed PIP and low PPlat= in the circuit or patient			
Examp Asthma	les: patient biting ET tube, kinked ET tube, increased secretions, mucous plugging, COPD or			
Pressu	re Vs Volume <u>1236</u>			
Advant	age of Volume delivered breath			
×	More control over the = tidal volume X respiratory rate			

× More clinicians are familiar with volume breaths

Disadvantage of Volume delivered breath × As compliance decreases there will be need for higher _____, which can lead to × Flow pattern is delivered, constant flow wave form, can lead to patient _____ and there by increased _____ = square breath on the ventilation × Note: we breath by a _____ inspiratory wave form Advantage of Pressure delivered breath × Uses a _____ waveform, which is physiological and can be more comfortable for the patient peak inspiratory pressure compared to a volume breath × × Improves oxygenation due to a higher _____ compared to volume breath Disadvantages of Pressure delivered breath × No direct control over ______; have to make sure the patient is getting an adequate _____ for the pressure × Less familiar to clinicians × Have to constantly pay attention to the pressures, since _____ is changing a lot, to get an adequate or appropriate _____

Reinforcement Game

Students:

- 1. Write three thing you have learned from the video
- 2. Turn to your neighbor and discuss these three things3. Turn in the paper before you leave

Note: help with attendance

Name:	Name:
1)	1)
2)	2)
3)	3)
Name:	Name:
1)	1)
2)	2)
3)	3)
Name:	Name:
1)	1)
2)	2)
3)	3)
Name:	Name:
1)	1)
2)	2)
3)	3)

Post Test Questions

- 1. Which of the following is not the main goal of mechanical ventilation in the ICU?
 - a. Optimize patient comfort
 - b. Optimize exchange of carbon dioxide and oxygen
 - c. Get them through surgery with less discomfort
 - d. Decrease work of breathing
- 2. How is the peak inspiratory pressure (PIP) and the mean airway pressure of a pressure breath in comparison to a volume breath?
 - a. ↑ peak airway pressure + ↓ mean airway pressure
 - b. ↑ peak airway pressure + ↑ mean airway pressure
 - c. ↓ peak airway pressure + ↑ mean airway pressure
 - d. ↓ peak airway pressure + ↓ mean airway pressure
- 3. What is the optimal type of breath?
 - a. Spontaneous
 - b. Controlled
 - c. Assisted
 - d. None of the above
- 4. What happens as compliance decreases in a volume breath?
 - a. Less oxygen delivery and hypoxia
 - b. Higher peak inspiratory pressures (PIP) leading to barotrauma
 - c. Higher FiO₂ and oxygen toxicity
 - d. Decrease in the minute ventilation leading to decreased PEEP and atelectasis
- 5. When giving a pressure breath, what is the relationship between compliance and volume?
 - a. Lower compliance, the less volume delivered
 - b. Lower compliance, the more volume delivered
 - c. Higher volume, the higher the compliance needed
 - d. Lower volume, the higher the compliance needed
- 6. Which of the following is not a way to improve oxygenation?
 - a. FiO₂
 - b. PEEP
 - c. Inspiratory time
 - d. Respiratory rate
- 7. What should the carbon dioxide goal be with traumatic brain injury?
 - a. High to allow increased cerebral blood flow
 - b. High to prevent increased cerebral blood flow
 - c. Normal to prevent increased cerebral blood flow
 - d. Normal to allow increased cerebral blood flow
- 8. Which mode of ventilation allows more control over the minute ventilation?
 - a. Volume breath
 - b. Pressure breath
- 9. What is the injury from over distension of the alveoli from excessive tidal volume called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 10. What is meant by a static pressure vs dynamic pressure?
 - a. Dynamic is seen during an inspiratory hold, whereas static is the same as the Peak inspiratory pressure (PIP)
 - b. Static has no air movement, dynamic pressure has air movement
 - Same thing: static pressure is used with volume mode and dynamic pressure with pressure mode
 - d. Same thing: static pressure is used with pressure mode and dynamic pressure with volume mode
- 11. Is inhalation an active or passive process?

- a. Active
- b. Passive
- 12. Which of the following is not a toxicity with mechanical intubation?
 - a. Hypercarbia
 - b. Barotrauma
 - c. Volutrauma
 - d. Atelactotrauma
 - e. Oxygen toxicity
- 13. What happens with inadequate PEEP?
 - a. Alveoli collapse and develop atelectasis
 - b. Poor compliance
 - c. Inadequate minute ventilation
- 14. When giving a volume breath, what is the relationship between compliance and pressure?
 - a. Higher the pressure, higher the compliance needed
 - b. Lower the compliance, higher the pressure needed
 - c. Lower the pressure, lower the compliance needed
 - d. Higher the compliance, higher the pressure needed
- 15. What percent of oxygen can lead to oxygen toxicity (even if only a short period of time)?
 - a. >50 %
 - b. >60%
 - c. >70%
 - d. >80%
- 16. What is the volume of gas in the lungs at the end of expiration, but prior to inhalation?
 - a. Inspiratory Capacity
 - b. Expiratory Capacity
 - c. Vital Capacity
 - d. Tidal Volume
 - e. Functional Residual Capacity
- 17. What is the normal peak inspiratory pressure (PIP)?
 - a. Variable depending on body habitus
 - b. >20 cm of water pressure
 - c. <10 cm of water pressure
 - d. <20 cm of water pressure
- 18. What happens to the intrathoracic pressure/ volume when you inhale?
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 19. Is exhalation an active or passive process?
 - a. Active
 - b. Passive
- 20. What is synchronized intermittent mandatory ventilation (SIMV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 21. Describe the type of breath when the patient starts the process (aka triggers a breath), but the ventilator takes over.
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 22. What is the lung injury due to oxygen production of free radicals called?
 - a. Barotrauma
 - b. Volumtrauma

- c. Atelectotrauma
- d. Biotrauma
- e. Oxygen toxicity
- 23. What happens to the intrathoracic pressure/volume when you exhale?
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 24. When does exhalation become an active process?
 - a. With restrictive lung disease
 - b. After you run a mile
 - c. With obstructive lung disease
- 25. Mechanical ventilation works by______?
 - a. Positive pressure- pushing air into the lungs
 - b. Negative pressure- pulling out the chest wall
- 26. What is mean airway pressure?
 - a. Average pressure that alveoli are exposed to during inspiration
 - b. Average pressure that the lungs are exposed to during expiration
 - c. Average pressure the lung is exposed to during mechanical ventilation
- 27. Which is a dynamic pressure needed to fully inflate the lungs and overcome the resistive forces and elastic forces of the lungs?
 - a. Peak Inspiratory Pressure (PIP)
 - b. Positive end expiratory pressure (PEEP)
 - c. Plateau pressure (PPlat)
 - d. End Expiratory Pressure
- 28. What is the equation for minute ventilation?
 - a. Respiratory Rate X PEEP
 - b. Respiratory Rate X Tidal Volume
 - c. Tidal Volume X Expiratory Time
 - d. Expiratory Time X Respiratory Rate
- 29. What is removal of carbon dioxide from the body called?
 - a. Hypercarbia
 - b. Hypocarbia
 - c. Ventilation
 - d. Tidal Volume
- 30. Is positive pressure good or bad with heart failure? Why?
 - a. Bad; increases afterload and deceases cardiac output
 - b. Good; decreases preload and increases cardiac output
 - c. Bad; decreases preload and decreases cardiac output
 - d. Good; decreases the LV afterload and allows more cardiac output
 - e. Depends on the type an etiology of heart failure
- 31. What happens to blood return with spontaneous breathing?
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 32. What the flow pattern of a pressure delivered breath?
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 33. How does increasing the tidal volume allow more CO2 removal?
 - a. Allows more surface area for the transfer of CO2
 - b. Increases the mean airway pressure

- c. Allows the alveoli to remain open longer for gas exchange
- d. Improves compliance
- 34. Since tidal volume is limited, what else can we adjust to improve minute ventilation?
 - a. Inspiratory time
 - b. FiO₂
 - c. Respiratory Rate
 - d. Expiratory time
- 35. What is a static pressure that the alveoli see?
 - a. Positive end expiratory pressure (PEEP)
 - b. Driving pressure
 - c. Plateau pressure (PPlat)
 - d. Peak Inspiratory Pressure (PIP)
- 36. Why do patients with obstructive lung disease need a shorter respiratory rate?
 - a. Gives the patients time to rest
 - b. Shorter respiratory rate allows a longer expiratory time as they have trouble with air removal
 - c. Shorter respiratory rate allows for less positive end expiratory pressure
 - d. Shorter respiratory rate allows for longer inspiratory time to improve oxygenation
- 37. What is dead space ventilation?
 - a. Carbon dioxide in the unventilated alveoli
 - b. Carbon dioxide delivered to the patient if the patient isn't on 100% oxygen
 - c. Carbon dioxide that is unable to diffuse out of the capillaries
 - d. Carbon dioxide still in the airway at expiration
- 38. What happens to blood return to the right atrium with positive pressure ventilation?
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 39. What is the injury to the alveoli caused by excessive pressure from the ventilator called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 40. What is the normal I:E ratio?
 - a. Inspiration is longer than expiration
 - b. Expiration is longer than inspiration
 - c. Inspiration and expiration are equal
- 41. What is injury from repetitively opening and closing lung units (a type of sheering stress to the lung) called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
 - f. Higher oxygen requirements leading to oxygen toxicity
- 42. What happens with adequate PEEP?
 - a. Better driving pressure
 - b. Less pressure is needed to re-expand the alveoli at the end of expiration
 - c. Improved minute ventilation
 - d. Lower oxygen requirements thus decreasing risk of barotrauma
- 43. What is the difference between the plateau pressure (PPlat) and the positive end expiratory pressure (PEEP)?
 - a. Driving pressure

- b. Static pressure
- c. Dynamic Pressure
- d. Compliance
- 44. How can you help improve venous return in a patient on positive pressure ventilation?
 - a. If the patient has decreased intravascular volume, a fluid bolus will help
 - b. Higher levels of positive end expiratory pressure (PEEP)
 - c. Increase the volume/pressure breath (depends on the mode)
 - d. Trial of bronchodilators to decrease afterload
- 45. What happens to the right ventricle with positive pressure ventilation?
 - a. Decreased right ventricular afterload
 - b. Increased right ventricular preload
 - c. No significant changes to the right ventricle
 - d. Increased right ventricular afterload
- 46. Will all patients have perfect carbon dioxide and oxygen levels?
 - a. Yes
 - b. No
- 47. What is the lung injury resulting from inflammatory mediators called?
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 48. What happens if you intubate a patient with RV failure?
 - a. Nothing with rapid sequence intubation technique
 - b. Improved pre-load to the RV
 - c. RV collapse and cardiac arrest
 - d. Increased ejection fraction of the right ventricle
- 49. What happens to the left ventricle with positive pressure ventilation?
 - a. Increased stroke volume and increased cardiac output
 - b. Decreased stroke volume and decreased cardiac output
 - c. Increased heart rate and increased cardiac output
 - d. Decreased heart rate and decreased cardiac output
- 50. Which of the following is not a type of breath that can be delivered by a ventilator?
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Spontaneous
- 51. What are the two types of breath delivery?
 - a. FiO₂, PEEP
 - b. Volume, pressure
 - c. Flow, volume
 - d. Respiratory rate and tidal volume
- 52. What type of breath requires no work by the patient, as the frequency/rate of the breath and the amount of gas delivered is fully dependent on the ventilator?
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 53. How do you check the plateau pressure (PPlat), on a pressure mode?
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)
 - d. Ask the respiratory therapist
- 54. With what type of breath does the patient do most/all of the work, and the ventilator gives only minimal assistance, if needed?
 - a. Controlled

- b. Assisted
- c. Manuel
- d. Supported
- 55. What is controlled mandatory ventilation (CMV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 56. What is pressure support?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 57. What is assist controlled ventilation (ACV)?
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 58. In which mode of ventilation is a pre-set amount of gas delivered to the patient?
 - a. Volume breath
 - b. Pressure Breath
 - c. Both
 - d. Neither
- 59. When giving a volume breath, at what pressure will the gas be delivered?
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 60. In which mode of ventilation will a pre-set pressure deliver gas to the patient Volume breath
 - a. Pressure Breath
 - b. Both
 - c. Neither
- 61. What are ways to maximize patient comfort on the ventilator?
 - a. Optimize ventilation settings
 - b. Sedation
 - c. Paralytics
 - d. All of the above
- 62. When giving a pressure breath, how much volume of gas will be delivered to a patient?
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 63. How do you check the plateau pressure (PPlat), on a volume mode?
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)
 - d. Ask the respiratory therapist
- 64. What does it mean when there is increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)?
 - a. High resistance in the circuit or patient
 - b. Poor pulmonary perfusion
 - c. Need to change the ventilator mode
 - d. Decreased compliance

- 65. Which is not a cause of increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)?
 - a. Pulmonary edema
 - b. Bronchospasms
 - c. Pneumothorax
 - d. Abdominal compartment syndrome
 - e. ARDS
- 66. How does increasing the inspiratory time lead to improved oxygenation?
 - a. It increases mean airway pressure
 - b. It decreases expiration time
 - c. It improves PEEP
 - d. It increases the tidal volume
- 67. What does it mean when there is increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)?
 - a. High resistance in the circuit or patient
 - b. Decreased compliance
 - c. Poor pulmonary perfusion
 - d. Need to change the ventilator mode
- 68. Which is not a cause of increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)?
 - a. Endotracheal tube occlusion
 - b. Mucous plugging
 - c. Pulmonary embolism
 - d. Bronchospasms
- 69. What is the normal flow pattern of a volume breath?
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 70. What is the main disadvantage of a pressure delivered breath?
 - a. Not as well known to clinicians
 - b. No control over minute ventilation
 - c. Constantly pay attention to pressures to make sure adequate tidal volume
 - d. All of the above

Pre-Test Questions and Answers

- 1. Which of the following is not the main goal of mechanical ventilation in the ICU? I-0055
 - a. Optimize patient comfort
 - b. Optimize exchange of carbon dioxide and oxygen
 - c. Get them through surgery with less discomfort
 - d. Decrease work of breathing
- 2. What are ways to maximize patient comfort on the ventilator? I-0110
 - a. Optimize ventilation settings
 - b. Sedation
 - c. Paralytics
 - d. All of the above
- 3. What is the optimal type of breath? I-0134
 - a. Spontaneous
 - b. Controlled
 - c. Assisted
 - d. None of the above
- 4. Will all patients have perfect carbon dioxide and oxygen levels? I-0230
 - a. Yes
 - b. No
- 5. What should the carbon dioxide goal be with traumatic brain injury? I--0253
 - a. High to allow increased cerebral blood flow
 - b. High to prevent increased cerebral blood flow
 - c. Normal to prevent increased cerebral blood flow
 - d. Normal to allow increased cerebral blood flow
- 6. Which of the following is not a toxicity with mechanical intubation? I-0330
 - a. Hypercarbia
 - b. Barotrauma
 - c. Volutrauma
 - d. Atelactotrauma
 - e. Oxygen toxicity
- 7. What percent of oxygen can lead to oxygen toxicity (even if only a short period of time)? I-0330
 - a. >50 %
 - b. >60%
 - c. >70%
 - d. >80%
- 8. What is the volume of gas in the lungs at the end of expiration, but prior to inhalation? I-0515
 - a. Inspiratory Capacity
 - b. Expiratory Capacity
 - c. Vital Capacity
 - d. Tidal Volume
 - e. Functional Residual Capacity
- 9. Is inhalation an active or passive process? I-0515
 - a. Active
 - b. Passive
- 10. What happens to the intrathoracic pressure/ volume when you inhale? I-0545
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 11. Is exhalation an active or passive process? I-0620
 - a. Active
 - b. Passive
- 12. What happens to the intrathoracic pressure/volume when you exhale? I-0620
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume

- c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
- d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 13. When does exhalation become an active process? I-0620
 - a. With restrictive lung disease
 - b. After you run a mile
 - With obstructive lung disease
- 14. Mechanical ventilation works by _____? I-0655
 - a. Positive pressure- pushing air into the lungs
 - b. Negative pressure- pulling out the chest wall
- 15. Which of the following is not a way to improve oxygenation? I-0748
 - a. FiO₂
 - b. PEEP
 - c. Inspiratory time
 - d. Respiratory rate
- 16. What is mean airway pressure? I-0826
 - a. Average pressure that alveoli are exposed to during inspiration
 - b. Average pressure that the lungs are exposed to during expiration
 - c. Average pressure the lung is exposed to during mechanical ventilation
- 17. What is the normal I:E ratio? I-0844
 - a. Inspiration is longer than expiration
 - b. Expiration is longer than inspiration
 - c. Inspiration and expiration are equal
- 18. How does increasing the inspiratory time lead to improved oxygenation? I-0910
 - a. It increases mean airway pressure
 - b. It decreases expiration time
 - c. It improves PEEP
 - d. It increases the tidal volume
- 19. What is removal of carbon dioxide from the body called? I-1002
 - a. Hypercarbia
 - b. Hypocarbia
 - c. Ventilation
 - d. Tidal Volume
- 20. What is the equation for minute ventilation? I-1040
 - a. Respiratory Rate X PEEP
 - b. Respiratory Rate X Tidal Volume
 - c. Tidal Volume X Expiratory Time
 - d. Expiratory Time X Respiratory Rate
- 21. What is dead space ventilation? I-1058
 - a. Carbon dioxide in the unventilated alveoli
 - b. Carbon dioxide delivered to the patient if the patient isn't on 100% oxygen
 - c. Carbon dioxide that is unable to diffuse out of the capillaries
 - d. Carbon dioxide still in the airway at expiration
- 22. How does increasing the tidal volume allow more CO2 removal? I-1138
 - a. Allows more surface area for the transfer of CO2
 - b. Increases the mean airway pressure
 - c. Allows the alveoli to remain open longer for gas exchange
 - d. Improves compliance
- 23. Since tidal volume is limited, what else can we adjust to improve minute ventilation? I-1138
 - a. Inspiratory time
 - b. FiO₂
 - c. Respiratory Rate
 - d. Expiratory time
- 24. Why do patients with obstructive lung disease need a shorter respiratory rate? I-1245
 - a. Gives the patients time to rest
 - Shorter respiratory rate allows a longer expiratory time as they have trouble with air removal

- c. Shorter respiratory rate allows for less positive end expiratory pressure
- d. Shorter respiratory rate allows for longer inspiratory time to improve oxygenation
- 25. What is the injury to the alveoli caused by excessive pressure from the ventilator called? I-1406
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 26. What is the injury from over distension of the alveoli from excessive tidal volume called? I-1413
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 27. What is the injury from repetitively opening and closing lung units (a type of sheering stress to the lung) called? I-1416
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 28. What is the lung injury resulting from inflammatory mediators called? I-1438
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 29. What is the lung injury due to oxygen production of free radicals called? I-1509
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 30. What happens with inadequate PEEP? I-1729
 - a. Alveoli collapse and develop atelectasis
 - b. Poor compliance
 - c. Inadequate minute ventilation
 - d. Higher oxygen requirements leading to oxygen toxicity
- 31. What happens with adequate PEEP? I-1803
 - a. Better driving pressure
 - b. Less pressure is needed to re-expand the alveoli at the end of expiration
 - c. Improved minute ventilation
 - d. Lower oxygen requirements thus decreasing risk of barotrauma
- 32. What is the difference between the plateau pressure (PPlat) and the positive end expiratory pressure (PEEP)? I-1825
 - a. Driving pressure
 - b. Static pressure
 - c. Dynamic Pressure
 - d. Compliance
- 33. What happens to blood return with spontaneous breathing? I-1911
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return

- 34. What happens to blood return to the right atrium with positive pressure ventilation? I-1932, 2010
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 35. How can you help improve venous return in a patient on positive pressure ventilation? I-1944
 - a. If the patient has decreased intravascular volume, a fluid bolus will help
 - b. Higher levels of positive end expiratory pressure (PEEP)
 - c. Increase the volume/pressure breath (depends on the mode)
 - d. Trial of bronchodilators to decrease afterload
- 36. What happens to the right ventricle with positive pressure ventilation? I-2048
 - a. Decreased right ventricular afterload
 - b. Increased right ventricular preload
 - c. No significant changes to the right ventricle
 - d. Increased right ventricular afterload
- 37. What happens if you intubate a patient with RV failure? I-2048
 - a. Nothing with rapid sequence intubation technique
 - b. Improved pre-load to the RV
 - c. RV collapse and cardiac arrest
 - d. Increased ejection fraction of the right ventricle
- 38. What happens to the left ventricle with positive pressure ventilation? I-2128
 - a. Increased stroke volume and increased cardiac output
 - b. Decreased stroke volume and decreased cardiac output
 - c. Increased heart rate and increased cardiac output
 - d. Decreased heart rate and decreased cardiac output
- 39. Is positive pressure good or bad with heart failure? Why? I-2150
 - a. Bad; increases afterload and deceases cardiac output
 - b. Good; decreases preload and increases cardiac output
 - c. Bad; decreases preload and decreases cardiac output
 - d. Good; decreases the LV afterload and allows more cardiac output
 - e. Depends on the type an etiology of heart failure

- 40. Which of the following is not a type of breath that can be delivered by a ventilator? II-0216
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Spontaneous
- 41. What are the two types of breath delivery? II-0228
 - a. FiO₂, PEEP
 - b. Volume, pressure
 - c. Flow, volume
 - d. Respiratory rate and tidal volume
- 42. What type of breath requires no work by the patient, as the frequency/rate of the breath and the amount of gas delivered is fully dependent on the ventilator? II-0318
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 43. Describe the type of breath when the patient starts the process (aka triggers a breath), but the ventilator takes over. II-0401
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 44. With what type of breath does the patient do most/all of the work, and the ventilator gives only minimal assistance, if needed? II-0405
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 45. What is controlled mandatory ventilation (CMV)? II-0551
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 46. What is pressure support? II-0535
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 47. What is assist controlled ventilation (ACV)? II-0600
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 48. What is synchronized intermittent mandatory ventilation (SIMV)? II-0608
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 49. In which mode of ventilation is a pre-set amount of gas delivered to the patient? II-0632
 - a. Volume breath

- b. Pressure Breath
- c. Both
- d. Neither
- 50. When giving a volume breath, at what pressure will the gas be delivered? II-0650
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 51. When giving a volume breath, what is the relationship between compliance and pressure? II-7010, 0721, 0820
 - a. Higher the pressure, higher the compliance needed
 - b. Lower the compliance, higher the pressure needed
 - c. Lower the pressure, lower the compliance needed
 - d. Higher the compliance, higher the pressure needed
- 52. In which mode of ventilation will a pre-set pressure deliver gas to the patient? II-0730
 - a. Volume breath
 - b. Pressure Breath
 - c. Both
 - d. Neither
- 53. When giving a pressure breath, how much volume of gas will be delivered to a patient? II-0747
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 54. When giving a pressure breath, what is the relationship between compliance and volume? II-0748, 0802, 0810, 0850
 - a. Lower compliance, the less volume delivered
 - b. Lower compliance, the more volume delivered
 - c. Higher volume, the higher the compliance needed
 - d. Lower volume, the higher the compliance needed
- 55. Which is a dynamic pressure needed to fully inflate the lungs and overcome the resistive forces and elastic forces of the lungs? II-0925, 1045
 - a. Peak Inspiratory Pressure (PIP)
 - b. Positive end expiratory pressure (PEEP)
 - c. Plateau pressure (PPlat)
 - d. End Expiratory Pressure
- 56. What is the normal peak inspiratory pressure (PIP)? II-1014
 - a. Variable depending on body habitus
 - b. >20 cm of water pressure
 - c. <10 cm of water pressure
 - d. <20 cm of water pressure
- 57. What is a static pressure that the alveoli see? II-1026
 - a. Positive end expiratory pressure (PEEP)
 - b. Driving pressure
 - c. Plateau pressure (PPlat)
 - d. Peak Inspiratory Pressure (PIP)
- 58. What is meant by a static pressure vs dynamic pressure? II-1026, 1045
 - a. Dynamic is seen during an inspiratory hold, whereas static is the same as the Peak inspiratory pressure (PIP)
 - b. Static has no air movement, dynamic pressure has air movement
 - c. Same thing: static pressure is used with volume mode and dynamic pressure with pressure mode
 - d. Same thing: static pressure is used with pressure mode and dynamic pressure with volume mode
- 59. How do you check the plateau pressure (PPlat), on a volume mode? II-1026
 - a. Inspiratory pause

- b. Expiratory pause
- c. Same as the peak inspiratory pressure (PIP)
- d. Ask the respiratory therapist
- 60. How do you check the plateau pressure (PPlat), on a pressure mode? II-1026
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)
 - d. Ask the respiratory therapist
- 61. What does it mean when there is increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)? II-1106
 - a. High resistance in the circuit or patient
 - b. Poor pulmonary perfusion
 - c. Need to change the ventilator mode
 - d. Decreased compliance
- 62. Which is not a cause of increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)? II-1106
 - a. Pulmonary edema
 - b. Bronchospasms
 - c. Pneumothorax
 - d. Abdominal compartment syndrome
 - e. ARDS
- 63. What does it mean when there is increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)? II-1145
 - a. High resistance in the circuit or patient
 - b. Decreased compliance
 - c. Poor pulmonary perfusion
 - d. Need to change the ventilator mode
- 64. Which is not a cause of increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)? II-1145
 - a. Endotracheal tube occlusion
 - b. Mucous plugging
 - c. Pulmonary embolism
 - d. Bronchospasms
- 65. Which mode of ventilation allows more control over the minute ventilation? II-1257
 - a. Volume breath
 - b. Pressure breath
- 66. What happens as compliance decreases in a volume breath? II-1343
 - a. Less oxygen delivery and hypoxia
 - b. Higher peak inspiratory pressures (PIP) leading to barotrauma
 - c. Higher FiO₂ and oxygen toxicity
 - d. Decrease in the minute ventilation leading to decreased PEEP and atelectasis
- 67. What is the normal flow pattern of a volume breath? II-1433
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 68. What the flow pattern of a pressure delivered breath? II-1456
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 69. How is the peak inspiratory pressure (PIP) and the mean airway pressure of a pressure breath in comparison to a volume breath? II-1456
 - a. ↑ peak airway pressure + ↓ mean airway pressure
 - b. ↑ peak airway pressure + ↑ mean airway pressure
 - c.

 ✓ peak airway pressure + ↑ mean airway pressure

- - b. No control over minute ventilation
 - c. Constantly pay attention to pressures to make sure adequate tidal volume
 - d. All of the above

Post Test Questions and Answers¹

- 1. Which of the following is not the main goal of mechanical ventilation in the ICU? I-0055
 - a. Optimize patient comfort
 - b. Optimize exchange of carbon dioxide and oxygen
 - c. Get them through surgery with less discomfort
 - d. Decrease work of breathing
- 2. How is the peak inspiratory pressure (PIP) and the mean airway pressure of a pressure breath in comparison to a volume breath? II-1456
 - a. ↑ peak airway pressure + ↓ mean airway pressure
 - b. ↑ peak airway pressure + ↑ mean airway pressure

 - d. ↓ peak airway pressure + ↓ mean airway pressure
- 3. What is the optimal type of breath? I-0134
 - a. Spontaneous
 - b. Controlled
 - c. Assisted
 - d. None of the above
- 4. What happens as compliance decreases in a volume breath? II-1343
 - a. Less oxygen delivery and hypoxia
 - b. Higher peak inspiratory pressures (PIP) leading to barotrauma
 - c. Higher FiO₂ and oxygen toxicity
 - d. Decrease in the minute ventilation leading to decreased PEEP and atelectasis
- 5. When giving a pressure breath, what is the relationship between compliance and volume? II-0748, 0802, 0810, 0850
 - a. Lower compliance, the less volume delivered
 - b. Lower compliance, the more volume delivered
 - c. Higher volume, the higher the compliance needed
 - d. Lower volume, the higher the compliance needed
- 6. Which of the following is not a way to improve oxygenation? I-0748
 - a. FiO₂
 - b. PEEP
 - c. Inspiratory time
 - d. Respiratory rate
- 7. What should the carbon dioxide goal be with traumatic brain injury? I--0253
 - a. High to allow increased cerebral blood flow
 - b. High to prevent increased cerebral blood flow
 - c. Normal to prevent increased cerebral blood flow
 - d. Normal to allow increased cerebral blood flow
- 8. Which mode of ventilation allows more control over the minute ventilation? II-1257
 - a. Volume breath
 - b. Pressure breath
- 9. What is the injury from over distension of the alveoli from excessive tidal volume called? I-1413
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 10. What is meant by a static pressure vs dynamic pressure? II-1026, 1045
 - a. Dynamic is seen during an inspiratory hold, whereas static is the same as the Peak inspiratory pressure (PIP)
 - b. Static has no air movement, dynamic pressure has air movement
 - c. Same thing: static pressure is used with volume mode and dynamic pressure with pressure mode

1

- d. Same thing: static pressure is used with pressure mode and dynamic pressure with volume mode
- 11. Is inhalation an active or passive process? I-0515
 - a. Active
 - b. Passive
- 12. Which of the following is not a toxicity with mechanical intubation? I-0330
 - a. Hypercarbia
 - b. Barotrauma
 - c. Volutrauma
 - d. Atelactotrauma
 - e. Oxygen toxicity
- 13. What happens with inadequate PEEP? I-1729
 - a. Alveoli collapse and develop atelectasis
 - b. Poor compliance
 - c. Inadequate minute ventilation
- 14. When giving a volume breath, what is the relationship between compliance and pressure? II-7010, 0721, 0820
 - a. Higher the pressure, higher the compliance needed
 - b. Lower the compliance, higher the pressure needed
 - c. Lower the pressure, lower the compliance needed
 - d. Higher the compliance, higher the pressure needed
- 15. What percent of oxygen can lead to oxygen toxicity (even if only a short period of time)? I-0330
 - a. >50 %
 - b. >60%
 - c. >70%
 - d. >80%
- 16. What is the volume of gas in the lungs at the end of expiration, but prior to inhalation? I-0515
 - a. Inspiratory Capacity
 - b. Expiratory Capacity
 - c. Vital Capacity d. Tidal Volume

 - e. Functional Residual Capacity
- 17. What is the normal peak inspiratory pressure (PIP)? II-1014
 - a. Variable depending on body habitus
 - b. >20 cm of water pressure
 - c. <10 cm of water pressure
 - d. <20 cm of water pressure
- 18. What happens to the intrathoracic pressure/volume when you inhale? I-0545
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 19. Is exhalation an active or passive process? I-0620
 - a. Active
 - b. Passive
- 20. What is synchronized intermittent mandatory ventilation (SIMV)? II-0608
 - A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of
 - d. A combination of controlled and assisted breath
- 21. Describe the type of breath when the patient starts the process (aka triggers a breath), but the ventilator takes over. II-0401
 - a. Controlled
 - b. Assisted
 - c. Manuel

- d. Supported
- 22. What is the lung injury due to oxygen production of free radicals called? I-1509
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 23. What happens to the intrathoracic pressure/volume when you exhale? I-0620
 - a. ↑ intra-thoracic pressure: ↑intra-thoracic volume
 - b. ↑ intra-thoracic pressure: ↓intra-thoracic volume
 - c. ↓ intra-thoracic pressure: ↑intra-thoracic volume
 - d. ↓ intra-thoracic pressure: ↓intra-thoracic volume
- 24. When does exhalation become an active process? I-0620
 - a. With restrictive lung disease
 - b. After you run a mile
 - c. With obstructive lung disease
- 25. Mechanical ventilation works by _____? I-0655
 - a. Positive pressure- pushing air into the lungs
 - b. Negative pressure- pulling out the chest wall
- 26. What is mean airway pressure? I-0826
 - a. Average pressure that alveoli are exposed to during inspiration
 - b. Average pressure that the lungs are exposed to during expiration
 - c. Average pressure the lung is exposed to during mechanical ventilation
- 27. Which is a dynamic pressure needed to fully inflate the lungs and overcome the resistive forces and elastic forces of the lungs? II-0925, 1045
 - a. Peak Inspiratory Pressure (PIP)
 - b. Positive end expiratory pressure (PEEP)
 - c. Plateau pressure (PPlat)
 - d. End Expiratory Pressure
- 28. What is the equation for minute ventilation? I-1040
 - a. Respiratory Rate X PEEP
 - b. Respiratory Rate X Tidal Volume
 - c. Tidal Volume X Expiratory Time
 - d. Expiratory Time X Respiratory Rate
- 29. What is removal of carbon dioxide from the body called? I-1002
 - a. Hypercarbia
 - b. Hypocarbia
 - c. Ventilation
 - d. Tidal Volume
- 30. Is positive pressure good or bad with heart failure? Why? I-2150
 - a. Bad; increases afterload and deceases cardiac output
 - b. Good; decreases preload and increases cardiac output
 - c. Bad; decreases preload and decreases cardiac output
 - d. Good; decreases the LV afterload and allows more cardiac output
 e. Depends on the type an etiology of heart failure
- 31. What happens to blood return with spontaneous breathing? I-1911
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous return
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 32. What the flow pattern of a pressure delivered breath? II-1456
 - a. Constant
 - b. Accelerating
 - c. Decelerating

- d. Variable
- 33. How does increasing the tidal volume allow more CO2 removal? I-1138
 - a. Allows more surface area for the transfer of CO2
 - b. Increases the mean airway pressure
 - c. Allows the alveoli to remain open longer for gas exchange
 - d. Improves compliance
- 34. Since tidal volume is limited, what else can we adjust to improve minute ventilation? I-1138
 - a. Inspiratory time
 - b. FiO₂
 - c. Respiratory Rate
 - d. Expiratory time
- 35. What is a static pressure that the alveoli see? II-1026
 - a. Positive end expiratory pressure (PEEP)
 - b. Driving pressure
 - c. Plateau pressure (PPlat)
 - d. Peak Inspiratory Pressure (PIP)
- 36. Why do patients with obstructive lung disease need a shorter respiratory rate? I-1245
 - a. Gives the patients time to rest
 - Shorter respiratory rate allows a longer expiratory time as they have trouble with air removal
 - c. Shorter respiratory rate allows for less positive end expiratory pressure
 - d. Shorter respiratory rate allows for longer inspiratory time to improve oxygenation
- 37. What is dead space ventilation? I-1058
 - a. Carbon dioxide in the unventilated alveoli
 - b. Carbon dioxide delivered to the patient if the patient isn't on 100% oxygen
 - c. Carbon dioxide that is unable to diffuse out of the capillaries
 - d. Carbon dioxide still in the airway at expiration
- 38. What happens to blood return to the right atrium with positive pressure ventilation? I-1932, 2010
 - a. Positive intrathoracic pressure that causes less resistance and assists in venous return
 - b. Negative intrathoracic pressure that causes increased resistance and impedes in adequate venous return
 - c. Positive intrathoracic pressure that causes increased resistance and impedes venous
 - d. Negative intrathoracic pressure that causes less resistance and assists in venous return
- 39. What is the injury to the alveoli caused by excessive pressure from the ventilator called? I-1406
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 40. What is the normal I:E ratio? I-0844
 - a. Inspiration is longer than expiration
 - b. Expiration is longer than inspiration
 - c. Inspiration and expiration are equal
- 41. What is the injury from repetitively opening and closing lung units (a type of sheering stress to the lung) called? I-1416
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
 - f. Higher oxygen requirements leading to oxygen toxicity
- 42. What happens with adequate PEEP? I-1803
 - a. Better driving pressure
 - b. Less pressure is needed to re-expand the alveoli at the end of expiration
 - c. Improved minute ventilation

- d. Lower oxygen requirements thus decreasing risk of barotrauma
- 43. What is the difference between the plateau pressure (PPlat) and the positive end expiratory pressure (PEEP)? I-1825
 - a. Driving pressure
 - b. Static pressure
 - c. Dynamic Pressure
 - d. Compliance
- 44. How can you help improve venous return in a patient on positive pressure ventilation? I-1944
 - a. If the patient has decreased intravascular volume, a fluid bolus will help
 - b. Higher levels of positive end expiratory pressure (PEEP)
 - c. Increase the volume/pressure breath (depends on the mode)
 - d. Trial of bronchodilators to decrease afterload
- 45. What happens to the right ventricle with positive pressure ventilation? I-2048
 - a. Decreased right ventricular afterload
 - b. Increased right ventricular preload
 - c. No significant changes to the right ventricle
 - d. Increased right ventricular afterload
- 46. Will all patients have perfect carbon dioxide and oxygen levels? I-0230
 - a. Yes
 - b. No
- 47. What is the lung injury resulting from inflammatory mediators called? I-1438
 - a. Barotrauma
 - b. Volumtrauma
 - c. Atelectotrauma
 - d. Biotrauma
 - e. Oxygen toxicity
- 48. What happens if you intubate a patient with RV failure? I-2048
 - a. Nothing with rapid sequence intubation technique
 - b. Improved pre-load to the RV
 - c. RV collapse and cardiac arrest
 - d. Increased ejection fraction of the right ventricle
- 49. What happens to the left ventricle with positive pressure ventilation? I-2128
 - a. Increased stroke volume and increased cardiac output
 - b. Decreased stroke volume and decreased cardiac output
 - c. Increased heart rate and increased cardiac output
 - d. Decreased heart rate and decreased cardiac output
- 50. Which of the following is not a type of breath that can be delivered by a ventilator? II-0216
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Spontaneous
- 51. What are the two types of breath delivery? II-0228
 - a. FiO₂, PEEP
 - b. Volume, pressure
 - c. Flow, volume
 - d. Respiratory rate and tidal volume
- 52. What type of breath requires no work by the patient, as the frequency/rate of the breath and the amount of gas delivered is fully dependent on the ventilator? II-0318
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 53. How do you check the plateau pressure (PPlat), on a pressure mode? II-1026
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)

- d. Ask the respiratory therapist
- 54. With what type of breath does the patient do most/all of the work, and the ventilator gives only minimal assistance, if needed? II-0405
 - a. Controlled
 - b. Assisted
 - c. Manuel
 - d. Supported
- 55. What is controlled mandatory ventilation (CMV)? II-0551
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 56. What is pressure support? II-0535
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 57. What is assist controlled ventilation (ACV)? II-0600
 - a. A combination of a controlled/assisted breathing with a spontaneous breath
 - b. A way for the ventilator to assist/ augment the efforts of the patient
 - c. A controlled form of ventilation where the ventilator controls the rate and the amount of gas
 - d. A combination of controlled and assisted breath
- 58. In which mode of ventilation is a pre-set amount of gas delivered to the patient? II-0632
 - a. Volume breath
 - b. Pressure Breath
 - c. Both
 - d. Neither
- 59. When giving a volume breath, at what pressure will the gas be delivered? II-0650
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 60. In which mode of ventilation will a pre-set pressure deliver gas to the patient? II-0730
 - a. Volume breath
 - b. Pressure Breath
 - c. Both
 - d. Neither
- 61. What are ways to maximize patient comfort on the ventilator? I-0110
 - a. Optimize ventilation settings
 - b. Sedation
 - c. Paralytics
 - d. All of the above
- 62. When giving a pressure breath, how much volume of gas will be delivered to a patient? II-0747
 - a. Depends on compliance
 - b. 6-8 ml / kg of ideal body weight
 - c. Depends on the respiratory rate
 - d. Depends on the flow and inspiratory time
- 63. How do you check the plateau pressure (PPlat), on a volume mode? II-1026
 - a. Inspiratory pause
 - b. Expiratory pause
 - c. Same as the peak inspiratory pressure (PIP)
 - d. Ask the respiratory therapist

- 64. What does it mean when there is increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)? II-1106
 - a. High resistance in the circuit or patient
 - b. Poor pulmonary perfusion
 - c. Need to change the ventilator mode
 - d. Decreased compliance
- 65. Which is not a cause of increased peak inspiratory pressure (PIP) and increased plateau pressure (PPlat)? II-1106
 - a. Pulmonary edema
 - b. Bronchospasms
 - c. Pneumothorax
 - d. Abdominal compartment syndrome
 - e. ARDS
- 66. How does increasing the inspiratory time lead to improved oxygenation? I-0910
 - a. It increases mean airway pressure
 - b. It decreases expiration time
 - c. It improves PEEP
 - d. It increases the tidal volume
- 67. What does it mean when there is increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)? II-1145
 - a. High resistance in the circuit or patient
 - b. Decreased compliance
 - c. Poor pulmonary perfusion
 - d. Need to change the ventilator mode
- 68. Which is not a cause of increased peak inspiratory pressure (PIP) and low plateau pressure (PPlat)? II-1145
 - a. Endotracheal tube occlusion
 - b. Mucous plugging
 - c. Pulmonary embolism
 - d. Bronchospasms
- 69. What is the normal flow pattern of a volume breath? II-1433
 - a. Constant
 - b. Accelerating
 - c. Decelerating
 - d. Variable
- 70. What is the main disadvantage of a pressure delivered breath? II-1533
 - a. Not as well known to clinicians
 - b. No control over minute ventilation
 - c. Constantly pay attention to pressures to make sure adequate tidal volume
 - d. All of the above